Welcome to Wide Area Workflow e-Business Suite.
This demonstration contains audio narrative. Please adjust your volume accordingly.

This presentation will demonstrate how to Add a Embedded Item. This function is available to Contractors, Legacy Submitters and IUID HAM roles.

Click the Add IUID link.

Select the Embedded Item radio button.

Enter the parent UII of the item that is to be embedded and click on the Continue button.

UII Type, UII and Description are required. Issuing Agency Code, Enterprise Identifier, Original Part Number, Batch/Lot, and Serial Number may be required depending on which UII Type is selected; however, if either Issuing Agency Code or Enterprise ID is provided, then both are required.

Select an UID Type from the UID Type dropdown.

When UID1 is selected for the UID Type as the above data is entered, IUID builds a suggested UII Code based on Issuing Agency Code plus Enterprise Identifier plus Serial Number.

Select an Issuing Agency Code from the Issuing Agency Code dropdown.

Enter an Enterprise Identifier.

Enter a Serial Number.

IUID suggestion is displayed after the Serial Number is entered.

Click the UII link to accept suggested value.

Enter a Description.

Click the Continue link.

• If there are two or more Mark groups where each element has the same value (Effective Date = Effective Date, Contents = Contents, etc.), only one of the matching groups is loaded. The rest is rejected as a duplicate mark. Duplicates can be found within the Mark groups in the file or between the ones in the file and the ones in the database.
• IUID Marks may not have gaps of time.
• Mark contents are restricted to a list of acceptable values.
• Type Designation Mark Value and Vessel Class Mark Value must be upper case. The IUID Registry does not allow the removal of a Mark if doing so violates these rules.

Enter required information and click the Continue link.

Review data and use the Add, Edit and Delete links to make changes as needed.

When finished, click on the Finish link at the bottom of the page.

A message is displayed that the IUID record has been added.

This concludes our demonstration.